


Protective Cover - 8410 IP Display Speaker Installation Guide



View full user guides at [algosolutions.com/guides/](https://www.algosolutions.com/guides/)

ABOUT

The Protective Cover - 8410 IP Display Speaker is a polycarbonate cover that can be installed with the 8410 IP Display Speaker to protect the display screen from accidental contact due to activities in the surrounding areas. The protective cover can be installed before or after mounting the 8410.

The full user guide for the 8410 can be found on algosolutions.com/guide/.

Included

- 3/8" Polycarbonate Sheet (1)
- Attachment Brackets (2)
- 6-32 Bracket Attachment Screws (4)
- 10-32 Polycarbonate Sheet Attachment Screws (4)
- Size 10 Aluminum Spacers (4)



Important


This guide contains safety information which should be read thoroughly before permanently installing the product.

1 INSTALLATION


Before installing, note that adding the 8410PC to an 8410 adds 3.3lbs (1.5kg) to the total weight of the 8410.

1. If the 8410 is already mounted to the wall bracket, start by removing the 4 flat head mounting screws. The 8410 can be rested on the hook of the wall bracket. If the 8410 is not mounted, skip this step and go to step 2.
2. Peel off the protective liners on both sides of the polycarbonate sheet.

3. Tighten the attachment bracket on each side of the 8410 and attach using the 6-32 attachment screws. These screws thread directly into the 8410 wall bracket, securing the attachment brackets and 8410.



4. Install the polycarbonate sheet using the 10-32 attachment screws and aluminum spacers. Ensure the rectangular cutout is aligned to the speaker grill of the 8410.



ALGO

©2024 Algo Communication Products Ltd. | All Rights Reserved